

Test Report

號碼(No.): ETR21403855 日期(Date): 22-Apr-2021 頁數(Page): 1 of 7

東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.)

東莞市橫瀝鎮田坑村第三工業區 (TANKENG 3RD IND. ZONE, HENGLI TOWN, DONGGUAN CITY, CHINA)

以下測試樣品係由申請廠商所提供及確認 (The following sample(s) was/were submitted and identified by/on behalf of the applicant as):

送樣廠商(Sample Submitted By) : 東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.)

樣品名稱(Sample Name) : TPU RESIN (TPU 膠粒)

樣品型號(Style/Item No.) : 請參考第2頁 (PLEASE REFER TO PAGE 2)

收件日(Sample Receiving Date) : 15-Apr-2021

測試期間(Testing Period) : 15-Apr-2021 to 22-Apr-2021

測試需求(Test Requested) : 依據客戶指定,測試 PAHs。 (As specified by client, to test PAHs.)

測試結果(Test Results) : 請參閱下一頁 (Please refer to following pages.)

結 論(Conclusion) : 根據客戶所提供的樣品,多環芳香烴測試結果符合德國產品安全委員會(AfPS) GS

PAHs第 1 類 之限值要求。(Based upon the performed tests on the submitted sample(s), the test results of PAHs (15 items) comply with the limits of PAHs requirement (Category 1) as set by German Committee on Product Safety

(AfPS) GS PAHs.)





PIN CODE: 1F95F286



Test Report

號碼(No.): ETR21403855 日期(Date): 22-Apr-2021 頁數(Page): 2 of 7

東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.)

東莞市橫瀝鎮田坑村第三工業區 (TANKENG 3RD IND. ZONE, HENGLI TOWN, DONGGUAN CITY, CHINA)

樣品型號(Style/Item No.)

A-80A A-82A(QD8) A-83A A-85A(QD8) A-90A A-92A(QD8) A-95A(QD8) A-98A(QD8) A-55D(QD8) A-60D(QD8) A-64D(QD8) A-71D A-72D(QD8) AB-(4)85A(T)(U) AB-(4)92A(T)(U) AB-(4)95A(T)(U) AB-(4)98A(T)(U) AS-(4)85A(T)(U) AS-(4)92A(T)(U) AS-(4)95A(T)(U) AS-(4)98A(T)(U) B75A(Y)(E) B80A(Y)(E) B82A(Y)(E) B85A(Y)(E) B90A(Y)(E) B92A(Y)(E) B95A(Y)(E) B98A(Y)(E) B60D(Y)(E) B64D(Y)(E) B71D(Y)(E) BD-80A(U) BD-85A(U) BD-90A(U) BD-95A(U) C(0)-80A(H)(U) C(0)-85A(H)(U) C(0)-90A(H)(U) C(0)-95A(H)(U) C(0)-98A(H)(U) C(0)-60D(H)(U) C(0)-64D(H)(U) C(0)-71D(H)(U)DP-85A(U) DP-90A(U) DP-95A(U) DP-98A(U) E-(2)75A E-(2)(4)80A E-(2)(4)85A E-(2)(4)90A E-(2)(4)95A E-(2)(4)60D E-(2)(4)64D EW-80A(P)(F) EW-85A(P)(F) EW-90A(P)(F) EW-95A(P)(F) EW-98A (P)(F) V-80A(P)(SR) V-85A(P)(SR) V-90A(P)(SR) V-95A(P)(SR) V-60D(P)(SR) V-64D(P)(SR) V-72D(P)(SR) G-180A G-185A G-190A G-195A G-198A G-160D G-164D G-171D G-174D G-80A(U) G-85A(U)(X) G-92A(U)(X) G-95A(B)(U)(X) G-98A(U)(X) G-60D(U)(X) G-64D(U)(X) G-71D(U) I-60A(U) I-65A(U) I(S)-70A(U) I(S)-75A(U) I(S)-80A(U) I-85A(U) I-90A(U) I-95A(U) T-1285A(U)(X) T-1290A(U)(X) T-1292A(U)(X) T-1295A(U)(X) T-1298A(U)(X) T-280A(U)(S) T-285A(U)(S) T-290A(U)(S) T-295A(U)(S) T-298A(U)(S) T-260D(U)(S) T-264D(U)(S) T-480A(U)(S) T(D)-485A(U)(S)(X) T(D)-490A(U)(S)(X) T(D)-495A(B)(U)(S)(X) T(D)-498A(U)(S)(X)T-460D(U)(S)(X) T-464D(U)(S) T-471D(U)(S) T-680A(U)(S) T-685A(U)(S)(X) T-690A(U)(S)(X) T-695A(U)(S)(X)T-698A(U)(S)(X) T-660D(U)(S)(X) T-664D(U)(S) T-671D(U)(S) T-895A(U)(S) P-75A(U) P-80A(U) P-85A(U) P-90A(U) P-92A(U) P-95A(U) P-98A(U) P-60D(U) P-64D(U) P-71D(U)



Test Report

號碼(No.): ETR21403855 日期(Date): 22-Apr-2021 頁數(Page): 3 of 7

東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.)

東莞市橫瀝鎮田坑村第三工業區 (TANKENG 3RD IND. ZONE, HENGLI TOWN, DONGGUAN CITY, CHINA)

測試部位敘述 (Test Part Description)

No.1 : 透明塑膠粒 (TRANSPARENT PLASTIC PELLETS)

測試結果 (Test Results)

測試項目 (Test Items)	測試方法 (Method)	單位 (Unit)	MDL	結果 (Result) No.1	限值 (Limit)
多環芳香烴 (Polycyclic Aromatic Hydrocarbons) (PAHs)					
苯駢(a)芘 (Benzo[a]pyrene) (CAS No.: 50-32-8)		mg/kg	0.2	n.d.	-
苯駢(e)芘 (Benzo[e]pyrene) (CAS No.: 192-97-2)	參考AfPS GS 2019:01 PAK,以氣相層析儀	mg/kg	0.2	n.d.	-
苯駢蒽 (Benzo[a]anthracene) (CAS No.: 56-55-3)		mg/kg	0.2	n.d.	-
苯(b)苯駢芴 (Benzo[b]fluoranthene) (CAS No.: 205-99-2)		mg/kg	0.2	n.d.	-
苯(j)苯駢芴 (Benzo[j]fluoranthene) (CAS No.: 205-82-3)		mg/kg	0.2	n.d.	-
苯(k)苯駢芴 (Benzo[k]fluoranthene) (CAS No.: 207-08-9)		mg/kg	0.2	n.d.	-
菌 (Chrysene) (CAS No.: 218-01-9)	/質譜儀分析。(With reference to AfPS GS	mg/kg	0.2	n.d.	-
二苯駢蒽 (Dibenzo[a,h]anthracene) (CAS No.: 53-70-3)	2019:01 PAK, analysis was performed by GC/MS.)	mg/kg	0.2	n.d.	-
苯駢菲 (Benzo[g,h,i]perylene) (CAS No.: 191-24-2)		mg/kg	0.2	n.d.	-
茚酮芘 (Indeno[1,2,3-c,d]pyrene) (CAS No.: 193-39-5)		mg/kg	0.2	n.d.	-
蒽 (Anthracene) (CAS No.: 120-12-7)		mg/kg	0.2	n.d.	-
苯駢芴 (Fluoranthene) (CAS No.: 206- 44-0)		mg/kg	0.2	n.d.	-
菲 (Phenanthrene) (CAS No.: 85-01-8)		mg/kg	0.2	n.d.	_
芘 (Pyrene) (CAS No.: 129-00-0)		mg/kg	0.2	n.d.	_
禁 (Naphthalene) (CAS No.: 91-20-3)		mg/kg	0.2	n.d.	-
多環芳香烴15項總和 (Sum of 15 PAHs)		mg/kg	-	n.d.	Δ



Test Report

號碼(No.): ETR21403855 日期(Date): 22-Apr-2021 頁數(Page): 4 of 7

東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.)

東莞市橫瀝鎮田坑村第三工業區 (TANKENG 3RD IND. ZONE, HENGLI TOWN, DONGGUAN CITY, CHINA)

備註(Note):

- 1. mg/kg = ppm; 0.1wt% = 1000ppm
- 2. MDL = Method Detection Limit (方法偵測極限值)
- 3. n.d. = Not Detected (未檢出); 小於MDL / Less than MDL
- 4. "-" = Not Regulated (無規格值)
- 5. 符合性結果之判定係以測試結果與限值做比較。(The statement of compliance conformity is based on comparison of testing results and limits.)



Test Report

號碼(No.): ETR21403855 日期(Date): 22-Apr-2021 頁數(Page): 5 of 7

東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.)

東莞市橫瀝鎮田坑村第三工業區 (TANKENG 3RD IND. ZONE, HENGLI TOWN, DONGGUAN CITY, CHINA)

△ 德國產品安全委員會(AfPS): GS PAHs 要求

AfPS (German commission for Product Safety): GS PAHs requirements

	第1類(Category 1)	第 2 類(Category 2)		第 3 類(Category 3)		
項目 (Parameter)	觸皮膚(超過 30 秒)的 2009/48/EC 定義的玩具材料和 3 歲以下兒童使用的產品(Materials intended to be placed in the mouth, or materials in toys (Directive 2009/48/EC) or articles for children up to 3	不屬於第1類的材料,並意圖或可預		不屬於第 1 類或第 2 類的材料·並意 圖或可預見與皮膚接觸不超過 30 秒 (短期皮膚接觸)(Materials not covered by Category 1 or 2, with		
	long-term skin contact (> 30 seconds))	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer	a. 供 14 歲以下兒童使 用的產品(Use by children under 14)	consumer	
Naphthalene	< 1	< 2		< 10		
Phenanthrene						
Anthracene	< 1 Sum	< 5 Sum	< 10 Sum	< 20 Sum	< 50 Sum	
Fluoranthene	\ 1 3diii	\ 3 3uiii	< 10 3dili	< 20 Julii	< 50 3um	
Pyrene						
Benzo[a]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Chrysene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[b]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[j]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[k]fluoranthene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[a]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[e]pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Indeno[1,2,3-c,d] pyrene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Dibenzo[a,h]anthracene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
Benzo[g,h,i]perylene	< 0.2	< 0.2	< 0.5	< 0.5	< 1	
15 項 PAH 總濃度 (Sum of 15 PAH)	<1	< 5	< 10	< 20	< 50	

單位(Unit):mg/kg




Test Report

號碼(No.): ETR21403855 日期(Date): 22-Apr-2021

東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.) 東莞市橫瀝鎮田坑村第三工業區 (TANKENG 3RD IND. ZONE, HENGLI TOWN, DONGGUAN CITY, CHINA)

多環芳香烴分析流程圖 / Analytical flow chart - PAHs (Polycyclic Aromatic Hydrocarbons)



This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 6 of 7



Test Report

號碼(No.): ETR21403855 日期(Date): 22-Apr-2021

東莞市吉得塑膠有限公司 (DONG GUAN UGET PLASTICS CO., LTD.)

東莞市橫瀝鎮田坑村第三工業區 (TANKENG 3RD IND. ZONE, HENGLI TOWN, DONGGUAN CITY, CHINA)

* 照片中如有箭頭標示,則表示為實際檢測之樣品/部位. * (The tested sample / part is marked by an arrow if it's shown on the photo.)

ETR21403855



** 報告結尾 (End of Report) **

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at https://www.sgs.com.tw/terms-of-service. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of client's instruction, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced, except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested.

頁數(Page): 7 of 7